The new DIO 125 is available in 2 different variants

Features List			
Parameters	H-Smart	STD	
Smart Key	¥	*	
Wheels	Alloy	Alloy	
Wave Disc Brake	✓	*	
Digital Meter	×	✓	
External Fuel Lid	4	¥	
Auto Idle Start/Stop	✓	1	
Front Pocket	✓	1	
Smart Switch/ Multifunction Switch	Smart	Multifunction	
Passing Switch	✓	✓	
LED Headlamp	¥	1	
LED Position Light	✓	*	
Underseat Storage	₹	4	
Stylish Muffler Protector	1	*	
Split Grabrail	✓	4	
Retractable Pillion Foot Step	✓	*	
PGM-FI	✓	✓	
eSP Technology	✓	*	
Silent Start with ACG	¥	1	
Side Stand Engine Cutoff [^]	OP	OP	
Battery Indicator	1	*	
Smart Key Indicator	*	×	

'Available as Optional

• *The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • DIO 125 meets Bharat Stage VI norms

Product shown in the picture may vary from actual product available in the market
Accessories shown in the picture are not part of standard equipment

The technical specifications mentioned are for H-Smart Variant • Distance to empty,

real time and average mileage readings may vary as per riding conditions

All features and colours may not be part of all variants.

Honda Motorcycle and Scooter India Pvt. Ltd., Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) – 122050, India Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp



*Complete peace of mind with 10 years warranty package. Comprising 3 years standard and 7 years optional service warranty.

Technical Specifications#

	Parameters	Measurements	
Body Dimensions	Length	1830 mm	
	Width	707 mm	
	Height	1172 mm	
	Wheel Base	1260 mm	
	Ground Clearance	171 mm	
	Kerb Weight	104 Kg	
	Seat Length	708 mm	
	Fuel Tank Capacity	5.3 L	
Engine	Туре	4 Stroke, SI Engine	
	Displacement	123.92cc	
	Max Engine Output	6.09 kW @ 6250 rpm	
	Max Torque	10.4 N-m @ 5000 rpm	
	Fuel System	PGM-FI	
	Bore x Stroke	50.000 X 63.113 mm	
	Compression Ratio	10.0:1	
	Starting Method	Self	
Transmission	Clutch Type	Automatic Centrifugal Clutch Dry Type	
Tyres & Brakes	Tyre Size & Type (Front)	90/90 - 12 54J	
	Tyre Size & Type (Rear)	90/100 - 10 53J	
	Brake Type (Front)	Disc	
	Brake Type (Rear)	Drum	
Frame & Suspension	Frame Type	Underbone	
	Front Suspension	Telescopic	
	Rear Suspension	3-Step Adjustable Spring Loaded Hydraulic	
Electricals	Battery	12V	
	Headlamp	5.0Ah	



















External Fuel Lid

Refuel your DIO 125 without ever getting off the seat with the External Fuel Lid.



Front Glove Box

Not just the essentials, keep a whole lot more in the DIO 125's Front Glove Box that is now more spacious than ever.



Integrated Pass Switch

With our extraordinary Passing Switch, you can pass signals on a low/high beam while riding and own the road the way you were meant to.



Under-Seat Storage

Carry your world with you in the Under-Seat Storage that gives you enough and more space to store whatever you need for your bold new trails.





